



Advantages:

- sliding bearing strongly loadable
- cheek parts stainless steel
- wobble riveting: avoids sharp burrs at the rivet head
- sheaves 25 x 9,2 mm of high quality UV-resistant plastic
- easy fixing of bows and swivels by means of bolts and rings
- low weight
- Made in Germany
- excellent price/performance ratio

| | | | mm | art.-no. | |
|---|--|--|----------------------|--|----------|
| 1 | 1 sheave, bow | | 25 x 9,2 | 35065 010 55 | 27 |
| 2 | 1 sheave, swivel | | 25 x 9,2 | 35065 020 55 | 36 |
| 3 | 1 sheave, hollow axle | | 25 x 9,2 | 35065 100 55 | 20 |
| 4 | 1 sheave on swivelling groundplate groundplate: 16005 bolt: 12606 | | 25 x 9,2 | 35065 850 55 | 39 |
| 5 | 1 sheave, bow, becket | | 25 x 9,2 | 35068 010 55 | 36 |
| 6 | 2 sheaves, bow 2 sheaves, swivel | | 25 x 9,2 25 x 9,2 | 35067 010 55 35067 020 55 | 42 52 |
| 7 | 2 sheaves, bow, becket | | 25 x 9,2 | 35069 010 55 | 52 |
| 8 | 3 sheaves, bow | | 25 x 9,2 | 35070 010 55 | 59 |
| 9 | 3 sheaves, bow, becket | | 25 x 9,2 | 35071 010 55 | 70 |






| | | | | | | | | |
|-------------|-------------------------|-----------------------|------------------------|-----------------|-------------------|----------------|------------------------------|---------------------------------|
| | | | | | | | | |
| Ø max. 6 mm | plastic sliding bearing | working load ≈ 175 kg | breaking load ≈ 700 kg | Made in Germany | self-service card | bow detachable | 34995 000 55 23,5 x 43 mm | 35945 000 56 suitable swivel |



| | | | art.-no. | |
|---|--|--------------------|---------------------|-----|
| | | mm | | |
| 1 | 1 sheave, with hook, swivelling | 25 x 9,2 | 35074 010 55 | 43 |
| 2 | 2 sheaves, with hook, swivelling | 25 x 9,2 | 35072 010 55 | 59 |
| 3 | 1 sheave, with strap | 25 x 9,2 | 35073 010 55 | 32 |
| 4 | V-cleat block, 1 sheave, bow, becket | 25 x 9,2 | 35120 001 55 | 49 |
| 5 | V-cleat block, 2 sheaves, bow, becket | 25 x 9,2 | 35120 002 55 | 64 |
| 6 | V-cleat block, 3 sheaves, bow, becket | 25 x 9,2 | 35120 003 55 | 81 |
| 7 | downhaul block (fiddle) with cam cleat HT08 | 35 x 11 22 x 11 | 35123 001 55 | 115 |
| 8 | downhaul tackle with 5 meter spliced rope Ø 6mm blocks: 35065 010 55 and 35120 001 55 | 25 x 9,2 | 35186 005 55 | 267 |

Advantages:



- sliding bearing strongly loadable
- cheek parts stainless steel
- wobble riveting: avoids sharp burrs at the rivet head
- sheaves 25 x 9,2 mm of high quality UV-resistant plastic
- easy fixing of bows and swivels by means of bolts and rings
- low weight
- Made in Germany
- excellent price/performance ratio



Advantages:

- sliding bearing strongly loadable
- cheek parts stainless steel
- wobble riveting: avoids sharp burrs at the rivet head
- sheaves of high quality UV-resistant plastic
- easy fixing of bows and swivels by means of bolts and rings
- low weight
- Made in Germany
- excellent price/performance ratio

| | | | mm | art.-no. | |
|---|--|--|--------------------|---------------------|-----|
| 1 | 1 sheave, without bow | | 30 x 10 | 35000 000 55 | 35 |
| 2 | 1 sheave, bow | | 30 x 10 | 35001 000 55 | 41 |
| 3 | 1 sheave, bow, becket | | 30 x 10 | 35021 000 55 | 53 |
| 4 | 2 sheaves, bow | | 30 x 10 | 35011 000 55 | 63 |
| 5 | 2 sheaves, bow, becket | | 30 x 10 | 35031 000 55 | 76 |
| 6 | spi block | | 30 x 10 | 38079 000 55 | 51 |
| 7 | downhaul block (fiddle) with cam cleat HT08, bow | | 35 x 11 22 x 11 | 35123 001 55 | 115 |
| 8 | downhaul tackle with 5 meter spliced rope Ø 6mm blocks: 35021 001 55 and 35123 001 55 | | 30 x 10 | 35185 005 55 | 351 |





| | | | | | | | | |
|--------------|-------------------------|-----------------------|------------------------|-----------------|-------------------|----------------|------------------------------|------------------------------|
| Ø max. 10 mm | plastic sliding bearing | working load ≈ 212 kg | breaking load ≈ 850 kg | Made in Germany | self-service card | bow detachable | 34995 004 55 stainless steel | 35985 001 56 suitable swivel |
|--------------|-------------------------|-----------------------|------------------------|-----------------|-------------------|----------------|------------------------------|------------------------------|

| | |
|------------------------------------|--|
| EDLSTAHL Rost frei stainless steel | Yacht Test 4x best grade Test 25-26/2002 |
|------------------------------------|--|

| | | mm | art.-no. | |
|-----|--|--------------------|--------------|-----|
| 1 • | 1 sheave, bow | 35 x 11 | 35001 001 55 | 49 |
| 2 | 1 sheave, bow, becket | 35 x 11 | 35021 001 55 | 63 |
| 3 | 2 sheaves, bow | 35 x 11 | 35011 001 55 | 77 |
| 4 | 2 sheaves, bow, becket | 35 x 11 | 35031 001 55 | 94 |
| 5 | 3 sheaves, bow | 35 x 11 | 35014 001 55 | 106 |
| 6 | 3 sheaves, bow, becket | 35 x 11 | 35034 001 55 | 121 |
| 7 | fiddle block, bow | 46 x 11 | 35041 001 55 | 130 |
| 8 | main sheet block, swivel with cam cleat HT13 | 50 x 13 29 x 13 | 35052 192 55 | 315 |
| 9 | suitable spring | | 34995 004 55 | 10 |
| | suitable swivel | | 35945 001 56 | 18 |

Advantages:

- sliding bearing strongly loadable
- cheek parts stainless steel
- wobble riveting: avoids sharp burrs at the rivet head
- sheaves of high quality UV-resistant plastic
- easy fixing of bows and swivels by means of bolts and rings
- low weight
- Made in Germany
- excellent price/performance ratio
















Advantages:

- sliding bearing strongly loadable
- cheek parts stainless steel
- wobble riveting: avoids sharp burrs at the rivet head
- sheaves of high quality UV-resistant plastic
- easy fixing of bows and swivels by means of bolts and rings
- low weight
- Made in Germany
- excellent price/performance ratio

| | | mm | art.-no. | |
|---|---|--------------------|---------------------|-----|
| 1 | 1 sheave, bow | 42 x 13 | 35001 002 55 | 66 |
| 2 | 1 sheave, bow, becket | 42 x 13 | 35021 002 55 | 86 |
| 3 | 2 sheaves, bow | 42 x 13 | 35011 002 55 | 107 |
| 4 | 2 sheaves, bow, becket | 42 x 13 | 35031 002 55 | 126 |
| 5 | suitable swivel | | 35945 002 56 | 29 |
| 6 | fiddle block, bow | 50 x 13 29 x 13 | 35041 002 55 | 148 |
| 7 | fiddle block, swivel and cam cleat HT13 | 50 x 13 29 x 13 | 35052 192 55 | 315 |



| | |  |  |  |  | art.-no. |  |
|---|---|---|---|---|---|---------------------|---|
| | | mm | mm | ≈ kg | ≈ kg | | |
| 1 |  downhaul (fiddle) with cam cleat HT08, bow stainless steel | 35 x 11 22 x 11 | 6 | 225 | 900 | 35123 001 55 | 115 |
| 2 |  1 sheave, becket, bow | 30 x 10 | 6 - 8 | 200 | 800 | 35021 000 55 | 53 |
| |  1 sheave, becket, bow | 35 x 11 | 6 - 10 | 212 | 850 | 35021 001 55 | 63 |
| 3 |  V-cleat block (fiddle) aluminum seawater-resistant anodised | 30 x 10 20 x 10 | 6 | 112 | 450 | 35121 001 54 | 47 |
| 4 |  1 sheave, becket, aluminum, seawater-resistant anodised | 30 x 10 | 6 | 112 | 450 | 35122 001 54 | 34 |
| 5 |  V-cleat block, 1 sheave, becket, bow, stainless steel | 25 x 9,2 | 6 | 175 | 700 | 35120 001 55 | 49 |
| 6 |  V-cleat block, 2 sheaves, becket, bow, stainless steel | 25 x 9,2 | 6 | 175 | 700 | 35120 002 55 | 64 |
| 7 |  V-cleat block, 3 sheaves, becket, bow, stainless steel | 25 x 9,2 | 6 | 175 | 700 | 35120 003 55 | 81 |
| 8 | kicking strap plate stainless steel | | | | | 35118 000 55 | 40 |
| 9 | kicking strap key stainless steel | | | | | 35119 000 55 | 10 |

Advantages:

- sliding bearing strongly loadable
- cheek parts stainless steel and aluminum seawater-resistant anodised
- wobble riveting: avoids sharp burrs at the rivet head
- sheaves of high quality UV-resistant plastic
- easy fixing of bows and swivels by means of bolts and rings
- you can find complete tackles on page 45
- low weight
- Made in Germany
- excellent price/performance ratio