








	L mm	coil meter	 Ø mm	art.-no.
1 rubber rope white on coil with tracer thread delivery only in complete coils		100	3	39780 003 00
		100	4	004 00
		100	5	005 00
		75	6	006 00
		75	8	008 00
2 rubber rope black on coil with tracer thread delivery only in complete coils		100	3	39788 003 00
		100	4	004 00
		100	5	005 00
		75	6	006 00
		75	8	008 00
3 sail embedder with plastic hook self-service packaging à 4 pieces in a bag	70		2 x 4	39781 007 00
	150		2 x 4	015 00
	250		2 x 4	025 00
	300		2 x 4	030 00
	350		2 x 4	035 00
	400		2 x 4	040 00
	500		2 x 4	050 00
	550		2 x 4	055 00
600		2 x 4	060 00	
700		2 x 4	070 00	



	L mm	 for Ø mm	Ø mm	art.-no.
4 sail embedder with ball, self-service packaging à 4 pieces in a bag	250		2 x 4	39782 025 00
	400		2 x 4	040 00
	500		2 x 4	050 00
	600		2 x 4	060 00
5 sail embedder stepless adjustable, self-service packaging à 4 pieces in a bag	550		5	39783 055 00
	750		5	075 00
6 nylon hook for rubber rope self-service packaging à 25 pieces in a bag	40	4 - 5		39784 040 00
7 nylon hook for rubber rope self-service packaging à 25 pieces in a bag	50	to 8		39785 050 00
8 quick fastener for rubber rope stepless adjustable self-service packaging à 25 pieces in a bag	40	5 - 6		39786 040 00
9 baggage net	800 x 1000			39787 000 00

By inserting the rope as per image b you reach an end loop with a powerful locking and at the same time a compliance.



	for  mm	length mm	spring travel mm	wire- strength mm	mm	for boats m	art.-no.
1	shock absorber rubber	10-12 14-16 18-20 20-22	150 210 250 320	100-150 120-160 160-200 180-220			37810 001 00 002 00 003 00 004 00
2	shock absorber, rubber the lengthening of the tension spring can be varied by the number of turns, 1 - 3 turns possible	10-12 14-16 18-20	440 500 580	50 - 250 120 - 325 175 - 425 depending on turning			37811 001 00 002 00 003 00
3	shock absorber AISI 316 stainless steel		270 320 320	5 6 7	50 60 70	6 8 11	37804 001 56 002 56 003 56
4	steering cable load removal spring stainless steel		100	3			37803 100 55



		for chain mm	L mm	 kg	boat length meter	chain forward movement mm x m	art.-no.
1	anchor chain connector AISI 316 stainless steel	2800 2800	6-8 10-12	90 115			38980 001 56 002 56
2	anchor chain connector AISI 316 stainless steel	1500 6000	6-8 10-12	95 110			38981 001 56 002 56
3	anchor chain connector AISI 316 stainless steel	1500 6500	6-8 10-12	120 169			38982 001 56 002 56
4	folding anchor (umbrella anchor) AISI 316 stainless steel			0,7 1,5 2,5			39005 007 56 015 56 025 56
5	folding anchor (umbrella anchor) hot galvanized steel		250 300 360 410 450 550 570 620 640 660	0,7 1,5 2,5 3,2 4,0 6,0 8,0 10,0 12,0 15,0	<2 <3 <4 <5 <6 <6 <7 <8 <8 <10	6 x 4 6 x 4 6 x 6 6 x 6 8 x 4 8 x 4 8 x 4 8 x 6 8 x 6 8 x 8	39005 007 10 015 10 025 10 032 10 040 10 060 10 080 10 100 10 120 10 150 10
6	spiral stake hot galvanized steel spiral stake stainless steel for small boats, canoes, cajaks, tents, dogs, etc.		41 41				39009 000 02 000 56



special delivery



Fender are delivered without air content.


Advantages:


Majoni fender


- excellent quality
- with brass valve
- inflatable with fender pump or compressor
- available single-coloured blue

combi fender

- soft PVC
- UV-resistant
- distinctive, robust, eye apron with patent valve (suitable for all pressure pumps)
- available in 4 colours

	size	Ø x length cm		art.-no.
1 majoni-fender „cylinder“	0	9 x 30	300	34080 100 00
	1	10 x 42	350	101 00
	2	12 x 55	700	102 00
	3	16 x 60	1200	103 00
	4	22 x 65	2100	104 00
	5	25 x 80	3000	105 00
	6	30 x 90	4200	106 00
2 combi-fender blue	1	12 x 48		34083 601 00
	2	14 x 53		602 00
	3	20 x 63		603 00
	4	30 x 80		604 00
3 combi-fender dark blue	1	12 x 48		34083 801 00
	2	14 x 53		802 00
	3	20 x 63		803 00
	4	30 x 80		804 00
4 combi-fender white	1	12 x 48		34083 501 00
	2	14 x 53		502 00
	3	20 x 63		503 00
	4	30 x 80		504 00
5 combi-fender white/blue	1	12 x 48		34083 901 00
	2	14 x 53		902 00
	3	20 x 63		903 00
	4	30 x 80		904 00




		H mm	B mm		boost appr. Kg	colour	art.-no.
1	anchor buoy			250	1,5	orange	34089 000 00
				500	4,5	orange	001 00
				700	9,0	orange	002 00
			250	1,5	yellow	34089 100 00	
			500	4,5	yellow	101 00	
			700	9,0	yellow	102 00	
2	ring fender			900		white blue	34088 000 00 001 00
3	bow/stern-fender			900		white blue	34087 000 00 001 00
box fender border full-material: mounting with screws (not included in delivery) thus very quick and easy possible colour: blue							
4	box fender						
	L = 25 cm	95	60			blue	34085 001 00
5	box fender						
	L = 50 cm	95	60			blue	34085 002 00
6	box fender corner						
	220 x 220 mm outside / 190 x 190 mm inside	95	60			blue	34085 003 00



Premium
quality

material
rubber black

	for acceptance mm	length mm	loom Ø mm	outside Ø mm	ground-plate mm	height mm	art.-no.
1 keel roller	100 130 200	95 125 195	13 13 16	75 75 75			37820 100 00 130 00 200 00
2 bow roller	75	70	13	75			37821 075 00
3 V-keel roller	200 250	195 245	16 16	80 80			37822 200 00 250 00
4 side protection roller	100 150	100 150	16 16	50 64			37823 225 00 275 00
5 bow protection	50 75 100				50 x 50 75 x 75 100 x 75	50 100 75	37824 050 00 075 00 100 00



	for acceptance mm	length mm	loom Ø mm	outside Ø mm	ground-plate mm	height mm	art.-no.
1 keel roller	100 130	95 125	13 13	75 75			37830 100 00 130 00
2 bow roller	75	70	13	75			37831 075 00
3 V-keel roller	200	195	16	80			37832 200 00
4 bow protection	75 100				75 x 75 100 x 75	100 75	37834 075 00 100 00
5 keel roller	300	295	16				37835 300 00
6 end-cap for V keelroller 37832			16	80			37836 080 00

Premium
quality

original Stoltz USA

material
polyurethane